

KEY

**Instructions:** This exam is in two parts: Part I is to be completed partly at home using the materials posted on Blackboard for Part I and you will answer questions about that work in class below; Part II is to be completed entirely in class. You may not use cell phones, and you may only access internet resources you are specifically directed to use. You may access your data file for Part I of the exam in Blackboard. You may access the data files posted to Blackboard for the Exam part II. Be sure you are using the data file that matches the exam version you are given.

Part I:

1. Do the boxplots support the equal variance assumption of ANOVA? (8 points)

no, the boxplots do not support the equal variance assumption

2. Using the data on Amount Spent vs. History, conduct a one-way ANOVA test. Record null and alternative hypotheses, the F-statistic, and the P-value below. What do you conclude from this test (taking your answer above into account)? (15 points)

$H_0$ : all  $\mu$ 's the same  $\mu_1 = \mu_2 = \mu_3 = \mu_4$

$H_a$ : at least one mean is different

$F = 283.25$

P-value:  $6.5 \times 10^{-133}$

P-value says reject  $H_0$ , but this is not the appropriate test for the data

3. Write the equation for your final multiple regression model here. (8 points)

$$Y = -442.77 + 47.69X_1 - 198.69X_2 + .0204X_3$$

4. Interpret the meaning of each slope coefficient. (16 points)

as the # of catalogs increases (by 1) the amount of sales goes up by \$47.69

as the # of children increases (by 1) the amount of sales goes down by \$198.69.

as the salary goes up (by \$1), the amount of sales goes up by \$0.02.

5. Do any of the variables from your scatterplots appear to be nonlinear? Are there any outliers? Explain. (16 points)

none of the models appear to be strongly nonlinear  
the nonlinear models do not dramatically improve  $R^2$ .

Salary may have one outlier.

6. Consider the residual graph for your final equation in #3. Do there appear to be any problems with the model? Explain. (8 points)

Because the data for these variables is discrete many of the residual graphs are unusual. There may be a problem of unequal variance of all the variables, but it is not dramatic.

Calculations in Excel: (1) 25 points, (2) 50 points, (3) 20 points, (4) 20 points.

Part II:

Use the ANOVA table below to answer the questions that follow.

SUMMARY

Groups	Count	Sum	Average	Variance
Electric	20	2787.52	139.376	9.934899
Gas	20	2738.29	136.9145	10.46487
Oil	20	2771.51	138.5755	10.59245

ANOVA

Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	63.05802	2	31.52901	3.051961	0.055059	3.158843
Within Groups	588.8521	57	10.33074			
Total	651.9101	59				

7. State the null and alternative hypothesis for single-factor ANOVA using proper notation. (4 points)

$$H_0: \mu_i = \mu_j \text{ (all means are the same)}$$


$$H_a: \mu_i \neq \mu_j \text{ for some } i \neq j \text{ (at least one mean is different)}$$

8. Using a 5% significance level, do you reject or fail to reject the null hypothesis? (4 points)

$$P\text{-value} = 0.055 > 0.05$$

fail to reject  $H_0$ .

Use the scatterplot below of temperature and average electric bill to answer the questions that follow.



9. Based on the scatterplot, is the linear model an appropriate model for the data? (4 points)

no

10. Using the  $R^2$  value for the better model, interpret this value? (8 points)

$$R^2 = .9199$$

roughly 92% of the variability in average monthly energy bill can be explained by the change in average monthly temperature